# WATSON INTERNATIONAL LTD

# **SAFETY DATA SHEET**

Version 5.0 Revision Date 01/15/2014 Print Date 15/02/2017

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : [1.1'-

Bis(diphenylphosphino)ferrocene]dichloropalladium(

II), complex with dichloromethane

CAS-No. : 95464-05-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Watson International Ltd

Room 1518, Asia Pacific Plaza,

NO. 18, Zhaofeng Road, Kunshan City, Jiangsu Province, China. 215332

Telephone : +86-512-81867260/70/80 Fax : +86-512-81867260/70/80-3

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 2), Liver, Blood, H373

Specific target organ toxicity - repeated exposure. Inhalation (Category 2). Central nervous system, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H351	Suspected of causing cancer.
H373	May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs (Central nervous system) through
	prolonged or repeated exposure if inhaled.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

Synonyms :  $Pd(dppf)Cl2 \cdot DCM$ 

[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II) -

dichloromethane (1:1) Pd(dppf)Cl2 · CH2Cl2

Molecular weight : 816.64 g/mol

**Hazardous components** 

Component		Classification	Concentration			
[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with dichloromethane						
CAS-No.	95464-05-4	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H302 + H312 + H332, H315, H319, H335	>= 70 - < 90 %			
Methylene chloride						
CAS-No.	75-09-2	Skin Irrit. 2; Eye Irrit. 2A; Carc.	>= 10 - < 20 %			
EC-No.	200-838-9	2; STOT SE 3; STOT RE 2;				
Index-No.	602-004-00-3	H315, H319, H335, H336, H351, H373, H373				

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. 7.2

## 7.3

Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters**

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
			parameters				
	Remarks		cupational Carcino	gen			
		See Append					
Methylene chloride	75-09-2	TWA	50.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)			
			ous System impai	rment			
		Carboxyhemoglobinemia Substances for which there is a Biological Exposure Index or Ind (see BEI® section)					
				vith unknown relevance to humans			
		TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)			
		Central Nerv					
		Carboxyhemoglobinemia Substances for which there is a Biological Exposure Index or In (see BEI® section) Confirmed animal carcinogen with unknown relevance to huma					
		1910.1052					
		Substance listed; for more information see OSHA document 1910.1052					
		See Table Z-2					
		PEL	OSHA Specifically Regulated Chemicals/Carcinogens				
		1910.1052					
			pational exposures to methylene acts Service Registry Number 75-09-				
		2, in general industry, construction and shipyard employment.  Methylene chloride (MC) means an organic compound with chemical					
			Abstracts Service Registry Number is				
		75-09-2. Its r	s 84.9 g/mole				
		OSHA speci					
		STEL	125.000000 ppm	OSHA Specifically Regulated Chemicals/Carcinogens			
		4040 4050		<u> </u>			
		1910.1052	applies to all accu	pational exposures to methylene			
				acts Service Registry Number 75-09-			
		2, in general industry, construction and shipyard employment. Methylene chloride (MC) means an organic compound with cher formula, CH2Cl2. Its Chemical Abstracts Service Registry Numb 75-09-2. Its molecular weight is 84.9 g/mole OSHA specifically regulated carcinogen					
		PEL	25 ppm 87 mg/m3	California permissible exposure limits for chemical contaminants			
				(Title 8, Article 107)			
		see section 5202					

5	_	435 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
9	see section 5	202	

Hazardous components without workplace control parameters

## **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methylene chloride	75-09-2	Dichlorometh ane	0.3000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the

supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It

should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: Orange red crystal

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing

point

Melting point/range: 275 - 280 °C (527 - 536 °F)

f) Initial boiling point and

boiling range

No data available

g) Flash point No data available
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

 Upper/lower flammability or explosive limits No data available

k) Vapour pressure

No data available

I) Vapour density No data availablem) Relative density No data availablen) Water solubility No data available

 Partition coefficient: noctanol/water No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus, Hydrogen chloride gas, Iron oxides

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

## **Acute toxicity**

No data available

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: OSHA specifically regulated carcinogen (Methylene chloride)

### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

### **Additional Information**

RTECS: Not available

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Methylene chloride)

### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

## DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### IATA

Not dangerous goods

### 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels es	tablished by SARA Title	e III, Section 313:
	CAS-No.	Revision Date
Methylene chloride	75-09-2	2007-07-01

## SARA 311/312 Hazards

Methylene chloride

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

wassachuseus Right to Know Components		
·	CAS-No.	<b>Revision Date</b>
Methylene chloride	75-09-2	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	<b>Revision Date</b>
[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with dichloromethane	95464-05-4	
Methylene chloride	75-09-2	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	<b>Revision Date</b>
[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with dichloromethane	95464-05-4	
Methylene chloride	75-09-2	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	75-09-2	2007-09-28

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Carc. Carcinogenicity
Eye Irrit. Eye irritation

H302 Harmful if swallowed.

H302 + H312 + Harmful if swallowed, in contact with skin or if inhaled

H332

H312 Harmful in contact with skin.
H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

## **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

#### **NFPA Rating**

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2017 WATSON INTERNATIONAL LTD granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. WATSON INTERNATIONAL and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.watson-int.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Version: 5.0 Revision Date: 01/15/2014 Print Date: 15/02/2017